



Data Sheet

## LED Light Strips Accessories

Distributed by




[www.bristolinstruments.com](http://www.bristolinstruments.com)

Bristol Instruments  
90 Canal Street - 4th Floor  
Boston, MA 02114

Toll free  
877-866-8500

## Female connector 400702



## Description

<b>Order Number:</b>	400702
<b>Color:</b>	white
<b>Housing Material:</b>	Polyamid
<b>Note:</b>	Halogen free
<b>Approvals:</b>	CE, cURus

## Technical data Female connector

<b>Mounting:</b>	connector
<b>Dimension H x W x D:</b>	2 x 0.7 x 0.5 inch
<b>Voltage / Frequency:</b>	max. 250 V
<b>Rated current:</b>	max. 16 A
<b>Connection:</b>	connector

400703



## Description

<b>Order Number:</b>	400703
<b>Color:</b>	white
<b>Housing Material:</b>	Polyamid
<b>Note:</b>	Halogen free
<b>Optional:</b>	Wieland female connector part no. 400702
<b>Approvals:</b>	CE, cURus

## Technical data Male connector

<b>Mounting:</b>	connector
<b>Dimension H x W x D:</b>	2 x 0.7 x 0.5 inch
<b>Voltage / Frequency:</b>	max. 250 V
<b>Rated current:</b>	max. 16 A
<b>Max. current:</b>	max. 250 V
<b>Connection:</b>	connector

## Power cable with connector, 118.1 inch 400711



### Description

<b>Order Number:</b>	400711
<b>Color:</b>	white
<b>Included:</b>	Female connector
<b>Note:</b>	strain relief, AWG 18, halogen free
<b>Approvals:</b>	CE, cURus

## Technical data White Connection Cable

<b>Mounting:</b>	Plug
<b>Voltage / Frequency:</b>	max. 250 V
<b>Rated current:</b>	max. 16 A
<b>Cable length:</b>	118.1 inch

## Power cable with connector, 118.1 inch 400712



### Description


<b>Order Number:</b>	400712
<b>Color:</b>	Orange
<b>Included:</b>	Buchsenteil
<b>Note:</b>	strain relief, AWG18, halogen free
<b>Approvals:</b>	CE, cURus



## Technical data Power cable orange

<b>Mounting:</b>	Plug
<b>Voltage / Frequency:</b>	max. 250 V
<b>Rated current:</b>	max. 16 A
<b>Cable length:</b>	118.1 inch

## Daisy chain cable 19.7 inch 400721



## Description

<b>Order Number:</b>	400721
<b>Color:</b>	white
<b>Included:</b>	Male & Female connector
<b>Note:</b>	strain relief, AWG 18, halogen free
<b>Approvals:</b>	CE, cURus

## Technical data Connecting cable white 0.5 m

<b>Mounting:</b>	Plug
<b>Voltage / Frequency:</b>	max. 250 V
<b>Rated current:</b>	max. 16 A
<b>Cable length:</b>	19.7 inch